

LES FICHES RECAPITULATIVES DU POLE REGIONAL DE CANCEROLOGIE

Essais ouverts en Bretagne - DERMATOLOGIE - PHASE I A III

Pour plus d'informations : <http://www.pole-cancerologie-bretagne.fr> - contact: ingrid.felten-vinot@chu-rennes.fr

ACRONYME	Phase	Organe	NéoAdj/ Chir / Adj/M+	Ligne	Statut génomique	Cancer	Shéma rapide	Centres
IMIREDOC BRD11/06-S NCT01720407	3	face, cou	1-néoadjuvant 2-chirurgie	1ère ligne	-	Lentigo malin de la face ou du cou	Imiquimod + chirurgie vs placebo + chirurgie	Rennes CHU (CIC)/Rennes CHU (CIC)/Brest CHU (CIC)/
KEYNOTE716- mélanome 3475-716 2018-000669-35 MK-3475-716 KEYNOTE-716 KEYNOTE 716	3	peau	3-adjuvant	1ère ligne	stade IIB, IIC	mélanome	Biological: Pembrolizumab Administered as an intravenous (IV) infusion every 3 weeks (Q3W) Other Names: KEYTRUDA® MK-3475 Other: Placebo Administered as an IV infusion every 3 weeks (Q3W)	Rennes CEM/
PICAMEL	2	peau	3-Adjuvant	2ème ligne et plus		mélanome Lentigo Maligna	Experimental: Picato gel application on 1 cm around the lesion, 0.47 g of Picato® gel 150 µg/g, once a day on 3 consecutive days.	Rennes CHU (CIC)/Rennes CHU (CIC)/Brest CHU (CIC)/